

Swift Owner's Service Handbook



Caravan Details

IMPORTANT Enter all your caravan details on this page (see specification in rear of this handbook).

Model
Model Year
Chassis Number
Key Number
Hitch/Steady Lock Key Number
Internal Length
Overall Length
Overall Width
Maximum External Height
Mass in Running Order
User Payload
Maximum Technical Permissible Laden Mass
Nose Weight
Awning Size
Tyre Pressures/Size

Supplied and Pre-delivery Inspection by:

Service History

Signed/Dealer

Date

CONTENTS

Annual Service/Inspection Record	2
Warranty.....	5
Specifications.....	6
Wiring Diagrams – Road Lights	9
Wiring Diagrams – Internal Wiring	12
Bulb Replacement	15
Change of Ownership	

TOURING CARAVANS - ANNUAL SERVICE/INSPECTION RECORD

In order to comply with the warranty, you must have your caravan inspected and serviced by an authorised Swift Group Service Centre at least once per year.

It is important that the Owner's Handbook is stamped on the appropriate page by the authorised Swift Group Service Centre. Failure to do this will invalidate the warranty and the transfer of the warranty on the change of ownership.

The inspection should take approximately two to four hours and will cover the areas dealt with in the annual service check list. Any areas requiring service and/or maintenance will be highlighted by your dealer and we recommend that you authorise any necessary work to be carried out.

NB. It is essential, to validate the warranty, that an annual inspection be carried out by an authorised Swift Group Service Centre covering the items listed.

- | | |
|---|---|
| 1. Damp and lamination test. | 16. Water heater - gas and 230V AC (if fitted). |
| 2. Coupling head and breakaway cable. | 17. Hob, grill and oven (if fitted). |
| 3. Jockey wheel. | 18. Refrigerator 230V AC, 12V DC and gas. |
| 4. Chassis and chassis to body security. | 19. Gas system. |
| 5. Corner steadies. | 20. Water pump, taps and water system. |
| 6. Folding step (if fitted). | 21. Mains 230V AC system. |
| 7. Tyres and tyre pressures. | 22. Windows and fittings. |
| 8. Torque wheel nuts. | 23. Smoke alarm and battery. |
| 9. Brake rods and linkages. | 24. Roof lights. |
| 10. Hub bearings, brakes and brake shoes. | 25. Furniture hinges/stays etc. |
| 11. Handbrake operation and performance. | 26. Exterior locks and hinges. |
| 12. Suspension and shock absorbers (if fitted). | 27. Grab handle security. |
| 13. 12N and 12S 7-pin plugs and cables. | 28. All internal vents. |
| 14. Road lights, wiring and reflectors. | 29. Oil seals. |
| 15. Internal lights and 12V DC system. | 30. Blinds and fly screens (if fitted). |

ANNUAL SERVICE/INSPECTION RECORD

CARAVAN MODEL _____ YEAR _____

CHASSIS NUMBER _____

1st SERVICE DATE: DEALER'S STAMP We certify that an annual service has been carried out in accordance with the handbook.	2nd SERVICE DATE: DEALER'S STAMP We certify that an annual service has been carried out in accordance with the handbook.
3rd SERVICE DATE: DEALER'S STAMP We certify that an annual service has been carried out in accordance with the handbook.	4th SERVICE DATE: DEALER'S STAMP We certify that an annual service has been carried out in accordance with the handbook.

5th SERVICE DATE: DEALER'S STAMP We certify that an annual service has been carried out in accordance with the handbook.	6th SERVICE DATE: DEALER'S STAMP We certify that an annual service has been carried out in accordance with the handbook.
7th SERVICE DATE: DEALER'S STAMP We certify that an annual service has been carried out in accordance with the handbook.	8th SERVICE DATE: DEALER'S STAMP We certify that an annual service has been carried out in accordance with the handbook.
9th SERVICE DATE: DEALER'S STAMP We certify that an annual service has been carried out in accordance with the handbook.	10th SERVICE DATE: DEALER'S STAMP We certify that an annual service has been carried out in accordance with the handbook.

All the illustrations and descriptive matter in this handbook are intended to give a general idea of the caravan. Changing market and supply situations and our policy of continuous product development may prevent us from maintaining the exact specifications detailed in this handbook. We therefore reserve the right to alter specifications as materials and conditions demand.

Dealers are not agents of Swift Group Limited, the manufacturer of Swift Group caravans, and have absolutely no authority to bind the manufacturer by any express or implied undertaking or representation.

All caravans have a 3 year SuperSure warranty from the date of purchase (or hire purchase), which is subject to a chargeable annual service and inspection being carried out at an authorised Swift Group Service Centre.

In the first 12 months this covers faults arising from a manufacturing defect but not those which are a result of normal wear and tear. The manufacturer will honour the warranty until 36 months from the date of sale, and providing that the caravan has been serviced annually within 90 days before or 30 days after the anniversary of the original sale. The third service must, however, be carried out before the expiry of the 36 month period from the original date of sale.

In years two and three the warranty will cover:

- i) All original components of the caravan including permanently fitted equipment forming part of the manufacturer's original specification.
- ii) Water ingress and body delamination.

Specific exclusions to SuperSure warranty:

Tyres, glass, paint, brightwork and all similar trim and finish. Soft furnishings, carpets, floor coverings, work surfaces and all other décor. Window catches, stays and associated fittings. Adjustments of brakes, blinds, hinges, catches, stays and doors. Replacement of bulbs, fluorescent tubes, fuses and electrical connections. Natural movement of internal doors and furniture. Audio equipment. Fair wear and tear.

The warranty will be invalidated if the caravan has been neglected, misused or modified. The warranty on all internal components will be invalidated if the caravan has been used for hire or reward. The caravan will be deemed to have been neglected if it has not been serviced and maintained as stated in this handbook.

The warranty only applies to caravans purchased and used within the UK, and for continuous journeys abroad of no longer than 90 days per journey.

The cost of transporting, towing or moving the caravan by any means to or from the place of repair is the responsibility of the owner.

The benefit of this warranty may be transferred to a new owner if the caravan is sold, provided that the caravan has been serviced by an authorised service centre in accordance with the requirements of this handbook, and details of the change of ownership have been supplied to Swift using the change of ownership form set out in this handbook. Failure to notify Swift of a change of ownership within 14 days of such change will invalidate the warranty.

This warranty only applies to caravans purchased in the UK.

The above conditions in no way affect your statutory rights in respect of the caravan.

Specifications

CHARISMA	220	230	235	540	545	550	560	565
Berths	2	2	2	5	5	4	4	4
Internal Length (bed box height)	3.94m/12'11"	4.61m/15'2"	4.61m/15'2"	5.03m/16'6"	5.03m/16'6"	5.39m/17'8"	5.23m/17'2"	5.23m/17'2"
Overall Width	2.16m/7'1"	2.16m/7'1"	2.16m/7'1"	2.16m/7'1"	2.16m/7'1"	2.23m/7'4"	2.16m/7'1"	2.16m/7'1"
Overall Height (inc. TV Aerial)	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"
Overall Length	5.53m/18'2"	6.21m/20'4"	6.21m/20'4"	6.62m/21'9"	6.62m/21'9"	6.99m/22'11"	6.83m/22'5"	6.83m/22'5"
Mass in Running Order (inc. tolerance)	897kg/17.6cwt	986kg/19.4cwt	975kg/19.2cwt	1062kg/20.9cwt	1060kg/20.9cwt	1168kg/23.0cwt	1090kg/21.5cwt	1099kg/21.6cwt
Essential Habitation Equipment Payload	90kg/1.8cwt	82kg/1.6cwt	82kg/1.6cwt	90kg/1.8cwt	90kg/1.8cwt	82kg/1.6cwt	82kg/1.6cwt	82kg/1.6cwt
Personal Effects Payload	96kg/1.9cwt	103kg/2.0cwt	103kg/2.0cwt	137kg/2.7cwt	137kg/2.7cwt	131kg/2.6cwt	129kg/2.5cwt	129kg/2.5cwt
Optional Equipment Payload	23kg/0.5cwt	23kg/0.5cwt	23kg/0.5cwt	23kg/0.5cwt	23kg/0.5cwt	23kg/0.5cwt	23kg/0.5cwt	23kg/0.5cwt
Maximum Technical Permissible Laden Mass (DECLARED)	1106kg/21.8cwt	1194kg/23.5cwt	1183kg/23.3cwt	1312kg/25.8cwt	1310kg/25.8cwt	1404kg/27.6cwt	1324kg/26.1cwt	1333kg/26.2cwt
Maximum Technical Permissible Laden Mass (POSSIBLE)	1230kg/24.2cwt	1230kg/24.2cwt	1230kg/24.2cwt	1350kg/26.6cwt	1350kg/26.6cwt	1500kg/29.5cwt	1500kg/29.5cwt	1500kg/29.5cwt
Awning A/A dimension	8.17m/26'9"	8.84m/29'0"	8.84m/29'0"	9.26m/30'4"	9.26m/30'4"	9.62m/31'7"	9.46m/31'0"	9.46m/31'0"
Tyre Size	195/70 r14 91	195/70 r14 91	195/70 r14 91	195/70r14 95	195/70r14 95	175r14 99	175r14 99	175r14 99
Tyre pressure at DECLARED MTPLM	33psi	36psi	36psi	42psi	42psi	60psi	55psi	55psi
Tyre pressure at POSSIBLE MTPLM	36psi	36psi	36psi	42psi	42psi	65psi	65psi	65psi
Static Load on Coupling Head	100kg	100kg	100kg	100kg	100kg	100kg	100kg	100kg
Thermal Insulation & Heating Grade	TWO	TWO	TWO	TWO	TWO	TWO	TWO	TWO
Bed Sizes								
Front Double	204cm x 190cm 6'8" x 6'3"	204cm x 190cm 6'8" x 6'3"	204cm x 139cm 6'8" x 4'7"	204cm x 190cm 6'8" x 6'3"	204cm x 190cm 6'8" x 6'3"	208cm x 167cm 6'10" x 5'6"	204cm x 180cm 6'8" x 5'11"	204cm x 139cm 6'8" x 4'7"
or One Single	190cm x 67cm 6'3" x 2'2"	190cm x 67cm 6'3" x 2'2"	190cm x 67cm 6'3" x 2'2"	190cm x 67cm 6'3" x 2'2"	190cm x 67cm 6'3" x 2'2"	190cm x 71cm 6'3" x 2'4"	190cm x 67cm 6'3" x 2'2"	190cm x 67cm 6'3" x 2'2"
and One Single	190cm x 67cm 6'3" x 2'2"	190cm x 67cm 6'3" x 2'2"	190cm x 71cm 6'3" x 2'4"	190cm x 67cm 6'3" x 2'2"	190cm x 67cm 6'3" x 2'2"	167cm x 71cm 5'6" x 2'4"	180cm x 67cm 5'11" x 2'2"	190cm x 71cm 6'3" x 2'4"
Rear Double				204cm x 119cm 6'8" x 3'11"	204cm x 119cm 6'8" x 3'11"	198cm x 138cm 6'6" x 4'6"		
Rear Bunk				198cm x 56cm 6'6" x 1'10"	198cm x 56cm 6'6" x 1'10"			
Side Single							180cm x 66cm 5'11" x 2'2"	180cm x 66cm 5'11" x 2'2"
Side Bunk							178cm x 56cm 5'10" x 1'10"	178cm x 56cm 5'10" x 1'10"

Please note that double bed sizes are quoted with wrap round seating

Specifications

CHALLENGER	400	460	480	490	490L	500	520	530	550
Berths	2	2	2	5	5	4	4	4	4
Internal Length (bed box height)	3.94m/12'11"	4.61m/15'2"	4.61m/15'2"	5.23m/17'2"	5.23m/17'2"	5.39m/17'8"	5.23m/17'2"	5.23m/17'2"	5.50m/18'1"
Overall Width	2.16m/7'1"	2.16m/7'1"	2.16m/7'1"	2.16m/7'1"	2.16m/7'1"	2.23m/7'4"	2.16m/7'1"	2.16m/7'1"	2.23m/7'4"
Overall Height (inc. TV Aerial)	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"
Overall Length	5.52m/18'1"	6.20m/20'4"	6.20m/20'4"	6.81m/22'4"	6.81m/22'4"	6.98m/22'11"	6.81m/22'4"	6.81m/22'4"	7.09m/23'3"
Mass in Running Order (inc. tolerance)	978kg/19.3cwt	1073kg/21.1cwt	1093kg/21.5cwt	1188kg/23.4cwt	1193kg/23.5cwt	1234kg/24.3cwt	1182kg/23.3cwt	1195kg/23.5cwt	1249kg/24.6cwt
Essential Habitation Equipment Payload	90kg/1.8cwt	82kg/1.6cwt	82kg/1.6cwt	90kg/1.8cwt	90kg/1.8cwt	82kg/1.6cwt	82kg/1.6cwt	82kg/1.6cwt	82kg/1.6cwt
Personal Effects Payload	96kg/1.9cwt	103kg/2.0cwt	103kg/2.0cwt	139kg/2.7cwt	139kg/2.7cwt	131kg/2.6cwt	129kg/2.5cwt	129kg/2.5cwt	132kg/2.6cwt
Optional Equipment Payload	23kg/0.5cwt	23kg/0.5cwt	23kg/0.5cwt	23kg/0.5cwt	23kg/0.5cwt	23kg/0.5cwt	23kg/0.5cwt	23kg/0.5cwt	23kg/0.5cwt
Maximum Technical Permissible Laden Mass (DECLARED)	1187kg/23.4cwt	1281kg/25.2cwt	1301kg/25.6cwt	1440kg/28.4cwt	1445kg/28.5cwt	1470kg/28.9cwt	1416kg/27.9cwt	1429kg/28.1cwt	1486kg/29.3cwt
Maximum Technical Permissible Laden Mass (POSSIBLE)	1230kg/24.2cwt	1350kg/26.6cwt	1350kg/26.6cwt	1500kg/29.5cwt	1500kg/29.5cwt	1500kg/29.5cwt	1500kg/29.5cwt	1500kg/29.5cwt	1500kg/29.5cwt
Awning A/A dimension	8.17m/26'9"	8.84m/29'0"	8.84m/29'0"	9.46m/31'0"	9.46m/31'0"	9.62m/31'7"	9.46m/31'0"	9.46m/31'0"	9.73m/31'11"
Tyre Size	195/70r14 91	195/70r14 95	195/70r14 95	175r14 99	175r14 99	175r14 99	175r14 99	175r14 99	175r14 99
Tyre pressure at DECLARED MTPLM	36psi	39psi	39psi	61psi	61psi	63psi	59psi	61psi	63psi
Tyre pressure at POSSIBLE MTPLM	36psi	42psi	42psi	65psi	65psi	65psi	65psi	65psi	65psi
Static Load on Coupling Head	100kg	100kg	100kg	100kg	100kg	100kg	100kg	100kg	100kg
Thermal Insulation & Heating Grade	TWO	TWO	TWO	TWO	TWO	TWO	TWO	TWO	TWO
Bed Sizes									
Front Double	204cm x 190cm 6'8" x 6'3"	204cm x 139cm 6'8" x 4'7"	204cm x 190cm 6'8" x 6'3"	204cm x 137cm 6'8" x 4'6"	204cm x 190cm 6'8" x 6'3"	208cm x 167cm 6'10" x 5'6"	204cm x 139cm 6'8" x 4'7"	204cm x 180cm 6'8" x 5'11"	208cm x 158cm 6'10" x 5'2"
or One Single	190cm x 67cm 6'3" x 2'2"	190cm x 67cm 6'3" x 2'2"	190cm x 67cm 6'3" x 2'2"		190cm x 67cm 6'3" x 2'2"	190cm x 71cm 6'3" x 2'4"	190cm x 67cm 6'3" x 2'2"	190cm x 67cm 6'3" x 2'2"	
and One Single	190cm x 67cm 6'3" x 2'2"	190cm x 71cm 6'3" x 2'4"	190cm x 67cm 6'3" x 2'2"		190cm x 67cm 6'3" x 2'2"	167cm x 71cm 5'6" x 2'4"	190cm x 71cm 6'3" x 2'4"	180cm x 67cm 5'11" x 2'2"	
Rear Double				204cm x 132cm 6'8" x 4'4"	188cm x 132cm 6'2" x 4'4"	198cm x 138cm 6'6" x 4'6"			197cm x 137cm 6'6" x 4'6"
Rear Bunk				204cm x 58cm 6'8" x 1'11"	188cm x 58cm 6'2" x 1'11"				
Side Single							180cm x 66cm 5'11" x 2'2"	180cm x 66cm 5'11" x 2'2"	
Side Bunk							178cm x 56cm 5'10" x 1'10"	178cm x 56cm 5'10" x 1'10"	

Please note that double bed sizes are quoted with wrap round seating


Specifications

CONQUEROR	580 SAL	580 LUX	610 LUX	630 LUX	640 SAL	640 LUX	645 LUX	650 LUX
Berths	4	4	5	4	5	5	4	5 Opt 6
Internal Length (bed box height)	5.85m/19'2"	5.85m/19'2"	6.35m/20'10"	6.35m/20'10"	6.35m/20'10"	6.35m/20'10"	6.35m/20'10"	6.35m/20'10"
Overall Width	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"
Overall Height (inc. TV Aerial)	2.75m/9'0"	2.75m/9'0"	2.75m/9'0"	2.75m/9'0"	2.75m/9'0"	2.75m/9'0"	2.75m/9'0"	2.75m/9'0"
Overall Length	7.45m/24'5"	7.45m/24'5"	7.95m/26'1"	7.95m/26'1"	7.95m/26'1"	7.95m/26'1"	7.95m/26'1"	7.95m/26'1"
Mass in Running Order (inc. tolerance)	1352kg/26.6cwt	1352kg/26.6cwt	1438kg/28.3wt	1495kg/29.4cwt	1437kg/28.3cwt	1446kg/28.5cwt	1440kg/28.4cwt	1468kg/28.9cwt
Essential Habitation Equipment Payload	115kg/2.3cwt	115kg/2.3cwt	115kg/2.3cwt	115kg/2.3cwt	123kg/2.4cwt	123kg/2.4cwt	115kg/2.3cwt	123kg/2.4cwt
Personal Effects Payload	135kg/2.7cwt	135kg/2.7cwt	150kg/3.0cwt	140kg/2.8cwt	150kg/3.0cwt	150kg/3.0cwt	140kg/2.8cwt	160kg/3.2cwt
Optional Equipment Payload	29kg/0.6cwt	29kg/0.6cwt	30kg/0.6cwt	30kg/0.6cwt	30kg/0.6cwt	30kg/0.6cwt	30kg/0.6cwt	49kg/1.0cwt
Maximum Technical Permissible Laden Mass (DECLARED)	1631kg/32.1cwt	1631kg/32.1cwt	1733kg/34.1cwt	1780kg/35.0cwt	1740kg/34.2cwt	1749kg/34.4cwt	1725kg/33.9cwt	1800kg/35.4cwt
Maximum Technical Permissible Laden Mass (POSSIBLE)	1650kg/32.5cwt	1650kg/32.5cwt	1800kg/35.4cwt	1800kg/35.4cwt	1800kg/35.4cwt	1800kg/35.4cwt	1800kg/35.4cwt	1800kg/35.4cwt
Awning A/A dimension	10.00m/32'10"	10.00m/32'10"	10.50m/34'5"	10.50m/34'5"	10.50m/34'5"	10.50m/34'5"	10.50m/34'5"	10.50m/34'5"
Tyre Size	165r13 82	165r13 82	165r13 82	165r13 82	165r13 82	165r13 82	165r13 82	165r13 82
Tyre pressure at DECLARED MTPLM	32psi	32psi	33psi	33psi	33psi	33psi	33psi	33psi
Tyre pressure at POSSIBLE MTPLM	32psi	32psi	33psi	33psi	33psi	33psi	33psi	33psi
Static Load on Coupling Head	100kg	100kg	100kg	100kg	100kg	100kg	100kg	100kg
Thermal Insulation & Heating Grade	TWO	TWO	TWO	TWO	TWO	TWO	TWO	TWO
Bed Sizes								
Front Double	208cm x 137cm 6'8" x 4'6"	208cm x 190cm 6'8" x 6'3"	208cm x 190cm 6'8" x 6'3"	208cm x 182cm 6'8" x 5'11"	208cm x 137cm 6'8" x 4'6"	208cm x 190cm 6'8" x 6'3"	208cm x 180cm 6'8" x 5'11"	208cm x 190cm 6'8" x 6'3"
or One Single		190cm x 71cm 6'3" x 2'4"	190cm x 71cm 6'3" x 2'4"	190cm x 71cm 6'3" x 2'4"		190cm x 71cm 6'3" x 2'4"	180cm x 71cm 5'11" x 2'4"	190cm x 71cm 6'3" x 2'4"
and One Single		190cm x 71cm 6'3" x 2'4"	190cm x 71cm 6'3" x 2'4"	182cm x 71cm 6'0" x 2'4"		190cm x 71cm 6'3" x 2'4"	190cm x 71cm 6'3" x 2'4"	190cm x 71cm 6'3" x 2'4"
Rear Double			192cm x 138cm 6'4" x 4'6"	192cm x 138cm 6'4" x 4'6"	208cm x 137cm 6'8" x 4'6"	208cm x 137cm 6'8" x 4'6"	202cm x 145cm 6'6" x 4'9"	205cm x 137cm 6'9" x 4'6"
Rear Bunk			192cm x 58cm 6'4" x 1'11"		192cm x 56cm 6'4" x 1'10"	192cm x 56cm 6'4" x 1'10"		
Side Single (O/S)	180cm x 66cm 5'11" x 2'2"	180cm x 66cm 5'11" x 2'2"						177cm x 68cm 5'10" x 2'3"
Side Single (I/S)								177cm x 68cm 5'10" x 2'3"
Side Bunk	178cm x 56cm 5'10" x 1'10"	178cm x 56cm 5'10" x 1'10"						172cm x 56cm 5'8" x 1'10"
Optional Bunk								172cm x 56cm 5'8" x 1'10"

Please note that double bed sizes are quoted with wrap round seating


Wiring Diagrams

CHARISMA RANGE 2003 - ROAD LIGHTS




Wiring Diagrams

CHALLENGER RANGE 2003 - ROAD LIGHTS



CONQUEROR RANGE 2003 - ROAD LIGHTS




CHARISMA RANGE 2003 - 12V AND 230V





Wiring Diagrams

CONQUEROR RANGE 2002 - 12V AND 230V



Bulb Replacement

	TYPE	POWER	CHARISMA	CHALLENGER	CONQUEROR
ROAD LIGHTS					
Front marker lights	W501W	12v 3w	✓	✓	✓
Side marker	F239	12v 5w	✓	✓	✓
Reversing light	L382	12v 21w	✓	✓	✓
Rear indicator light	L382	12v 21w	✓	✓	✓
Brake / tail light	L380	12v 21w / 5w	✓	✓	✓
Fog light	L382	12v 21w	✓	✓	✓
Number plate light	F239	12v 5w	✓	✓	✓
High level brake light	Capless	12v 2.3w	✓	✓	✓
Hitch cover light	F239	12v 5w		✓	✓
INTERIOR/OTHER					
Awning (Internal switch)	P21W	12v 20w		✓	✓
Awning (External switch)	L245	12v 10w	✓		
Spot / reading lights	Halogen capsule	G4 12v 10w		✓	✓
Spot / reading lights	L245	12v 10w	✓		
Round ceiling lights	Halogen capsule	G4 20w	✓	✓	✓
Kitchen strip light	Flourescent tube 300mm	12v 8w	✓		
Mains lights	Small screw	240v 40w	✓	✓	✓

Note: Not all lights and bulbs feature on all models within a range

NOTIFICATION OF CHANGE OF OWNERSHIP

If you sell your caravan, please notify the change of ownership by completing this page, detaching it and sending it to:
Swift Group Ltd., Dunswell Road, Cottingham, East Yorkshire, HU16 4JX.

DETAILS OF CARAVAN:

Model: _____

Chassis No: _____

CURRENT OWNER:

Name: _____

Address: _____

NEW OWNER:

Name: _____

Address: _____

Please note that the benefit of any unexpired warranty cannot be transferred to the new owner until the change of ownership details above have been received.



Quality with Style

Swift Caravans, Dunswell Road, Cottingham, East Yorkshire HU16 4JX.

Tel: 01482 875740 Fax: 01482 840082

e-mail: enquiry@supercare.co.uk website: www.swiftcaravans.co.uk

Issued September 2002

1048552